		E to recurent				
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31	tamper\$1resistan\$2 AND template AND sampli\$3 AND (software) application) AND ("713/186,194" cots 726/2,16,21,26,27. cds.) AND (@pd="20010628" or @prad="20010628" or @prad="20010628" or @plad="20010628" or	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 08:54
L2	1	partial evaluation AND tamper\$1resistan\$2 AND biometric AND (software application) AND ("713-166,194".cst. 726/2,16,21, 26,27.cds.) AND (@pd-"20010628" or @ad<"20010628" or @prad<"20010628" or @itad<"20010628" or @prad<	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 09:01
L3	4	partial evaluation AND (software application) AND (*713/186,194* cds. 726/2,162,126,27.ods.) AND (@pd<*20010628* or @ad<*20010628* or @prad<*20010628* or @rlad<*20010628*)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 09:01
L4	4	partial evaluation AND ("713/186,194".cds. 726/2,16,21,26,27.cds.) AND (@pd.*20010628" or @ad<*20010628" or @prad<*20010628" or @rlad<*20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 09:13
L5	154	partial evaluation AND (@pd<"20010628" or @ad<"22010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 09:14
L6	13	partial evaluation AND ("713".das. "726". das. "380".das.) AND (@pd-"20010628" or @ad-"20010628" or @prad< "20010628") prad< "20010628" or @prad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 09:15
S1	0	((generate OR create) NEAH (incorrect NEAH password)) AND biometric AND ("713" clas. OR "726" clas. OR "380" clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628" or	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:32
S2	0	((generate OR create) NEAR (incorrect password)) AND biometric AND ("713".das. OR "380".das.) AND (@pd<*20010628" or @ad<*20010628" or @prad<*20010628" or @riad<*20010628" or @riad<*20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 09:17

83	0	((generate CR create) NEAR (incorrect password)) AND ("713" clas. CR "726" clas. CR "726" clas. CR "380" clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rad<"20010628" or @rad<"20010	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM TDB	ADJ	ON	2007/08/24 09:17
S4	0	((generate CR create) NEAR (incorrect NEAR password)) AND ("713" das. OR "726" das. OR "380" das.) AND (@pd<"20010628" or @plad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 09:17
S5	0	((generate CR create) NEAH (incorrect WITH password)) AND ("713".das. CR "726".das. CR "726".das. CR "380".das.) AND (@pd<"20010628" or @ad<"20010628" or @riad<"20010628" or @riad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 09:17
S 6	0	((generate OR create OR calculate) NEAR (incorrect WITH password)) AND (*713". clas. OR "726" clas. OR "380" clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @riad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 09:18
S7	12	((generate OR create OR calculate) SAME (incorrect WITH password)) AND (*713". das. OR "726".das. OR "380".das.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 09:18
S8	2	((generate OR create OR calculate) SAME (incorrect WITH password)) AND biometric AND ("713" das. OR "726" das. OR "380", das.) AND (@pdc "20010628" or @padc "20010628" or @piadc "20010628" or @fiadc "20010628"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 09:18
89	568	private key AND public key AND biometric AND ("713" das. OR "726" das. OR "380", das.) AND (@pdc "20010628" or @ad< "20010628" or @prad< "20010628" or @riad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:32
S10	79	private key AND public key AND biometric AND ("713/186" ccts.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:33

		EAGT OCATOR				
S11	44	(creat\$3 OR generat\$3) AND pair AND private key AND public key AND biometric AND ("7186" cost.) AND ("3186" cost.) AND ("2010628" or @ad<"20010628" or @riad<"20010628" or @riad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:37
S12	44	(creat\$3 OR generat\$3 OR calculat\$3) AND pair AND private key AND public key AND biometric AND ("713/186" cods.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rida<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:34
S13	22	("well known") AND (creat\$3 CR generat\$3 OR calculat\$3) AND pair AND private key AND public key AND biometric AND ("713/186" cds.) AND (@pd<"20010628" or @ad<"20010628" or @rlad<"20010628") @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:35
S14	0	((pair NEAR (private key AND public key)) SAME ("well known")) AND (creat\$3 OR generat\$3 OR calculat\$3, AND biometric AND ("713/186" ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @riad<"20010628" or	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:36
S15	0	((pair NEAR (private key AND public key)) SAME ("well known")) AND ("713/186". ods.) AND (@odd "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:36
S16	20	((pair NEAR (private key AND public key)) SAME ("well known")) AND ("713" clas. OR "726" clas. OR "380" clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:36
S17	2	"6490680".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:38
S18	2	*6655585*.pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 16:14

S19	2	"6779114".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM TDB	ADJ	ON	2007/08/24 16:15
S20	2	"6085320".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 16:15
S21	44	verification AND threshold AND password AND ("713/168".cds.) AND (@pd<*20010628" or @ad<*20010628" or @prad<*20010628" or @rlad<*20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:38
S22	33	generate AND verification AND threshold AND password AND ("713/186".cds.) AND (@pdx "20010628" or @ad~"20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:40
\$23	5	generate AND verification threshold AND password AND ("713/186".cdls.) AND ("Qpd-"20010628" or @ad-"20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:41
S24	5	verification threshold AND password AND ("713/186".cds.) AND (@pd. "20010628" or @ad. "20010628" or @prad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:44
S25	0	verification threshold NEAR password AND (@pd. *20010628" or @ad. *20010628" or @prad. *20010628") or @riad. *20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:43
S26	0	verification threshold WITH password AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:43

		EACT OCATOR				
S27	1	verification threshold SAME password AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @riad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:43
S28	8	verification threshold AND ("713/186".cds.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:56
S29	0	bijection AND table AND ("713/186".cds.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:57
\$30	83	bijection AND table AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:57
\$31	66	step AND algorithm AND bijection AND table AND (@pd="20010628" or @d="20010628" or @prad<="20010628" or @rlad<="20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:57
S32	24	nonlinear AND step AND algorithm AND bijection AND table AND (@pd-"20010628" or @ad-"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:57
S33	4	nonlinear bijlection AND step AND algorithm AND table AND (@pdc "20010628" or @adc "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:58
S34	4	nonlinear bijection AND algorithm AND table AND (@pd-"20010628" or @dad-"20010628" or @grad<-"20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:58

		EAST Search	notor y			
\$35	4	nonlinear bijection AND table AND (@pd< "20010628" or @ad< "20010628" or @rad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	A DJ	ON	2007/08/27 09:58
\$36	4	nonlinear bijection AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:59
\$37	157	bijection AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:59
\$38	83	table AND bijection AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:59
\$39	70	algorithm AND table AND bijection AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @riad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:59
S40	21	algorithm AND table AND bijection AND ("713" clas. OR "726" clas. OR "380" clas.) AND (@pd-"20010628" co @pad- "20010628" or @pad- "20010628" or @plad- "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:00
S41	9	algorithm AND table AND bijection AND ("713" clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:01
S42	0	algorithm AND table NEAR bijection AND ("713" clas.) AND (@pd.s"20010628" or @ad.s"20010628" or @prad.s"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:01

		EACT Scarciff				
S43	3	algorithm AND table SAME bijection AND ("713".clas.) AND (@pd.s"20010628" or @ad-"20010628" or @cad-"20010628" or @rad<"20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:01
S44	3	table SAME bijection AND ("713".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @riad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:03
S 45	36	sequence AND disperse AND ("713".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:04
S46	12	merge AND code AND block AND sequence AND disperse AND ("715".das.) AND (@pdx "20010628" or @ad~"20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:07
S47	4	merge AND block NEAR code AND sequence AND disperse AND ("713".clas.) AND (@pd-2"0010628" or @prad<"20010628" or @prad<"20010628" or @prad<"20010628" or @prad<"20010628" or @prad<"20010628" or @prad<"20010628" or @prad<	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:07
S48	11	parameter AND template AND sampl\$3 AND access control AND biometric AND ("173/186"; cds.) AND (@pd< "20010628" or @ad< "20010628" or @rlad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 12:50
S49	0	tamper\$1resistan\$2 AND parameter AND template AND sampi\$3 AND access control AND biometric AND ("1168" cds.) AND (@pd<"20010628" or @ad<"20010628" or @grad<"20010628" or @flad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:23
S50	0	tamper\$1resistan\$2 AND template AND sampl\$3 AND access control AND biometric AND ("718") 186" ccls.) AND ("904" 20010628" or @ad<"20010628" or @prad<"20010628" or @riad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:23

		2101 0001011	,			
S51	2	tamper\$1resistan\$2 AND template AND sampl§3 AND biometric AND ("713/186". cds.) AND (@dd-"20010628" or @ad<"20010628" or @prad<"20010628" or @prad<"20010628" or @fiad<"20010628" or @fiad<"20010628" or @fiad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:23
S52	2	tamper\$1resistan\$2 AND template AND sampls\$3 AND biometric AND ("713/186, 194".cds). AND (@pdx "20010628" or @ad<"20010628" or @prad< "20010628" or @rlad< "20010628" or @rlad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:25
S53	3	tamper\$1resistan\$2 AND template AND sampli\$3 AND biometric AND ("713/186, 194".cots.] '726/21,62/1,62,62.cots.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:25
S54	40	tamper\$1resistan\$2 AND template AND sampls3 AND biometric AND (@pdx "20010628" or @ad<"20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:27
\$55	38	encod\$3 AND software AND tamper\$1 resistan\$2 AND template AND sampl\$3 AND biometric AND (@pd<*20010628" or @ad<*20010628" or @qrad<*20010628" or @qlad<*20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:27
S56	29	parameter\$1 AND encod\$3 AND software AND tamper\$1 resistan\$2 AND template AND sampl\$3 AND biometric AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:27
S57	29	parameter\$1 AND encod\$3 AND software AND tamper\$1 resistan\$2 AND template\$1 AND sampls\$3 AND biometric AND (@pd<*20010628" or @ad<*20010628" or @prad<*20010628" or @rilad<*20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:27
S58	29	verif\$7 AND parameter\$1 AND encod\$3 AND software AND tamper\$1resistan\$2 AND template\$1 AND sampl\$3 AND biometric AND (@pdc "20010628" or @ad<"20010628" or @prad<"20010628" or @itad<"20010628"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:35

		EAGT OCATOR				
S59	38	verif\$7 AND encod\$3 AND software AND tamper\$1resistan\$2 AND template\$1 AND sampl\$3 AND biometric AND (@pd<*20010628" or @ad<*20010628" or @grad<*20010628" or @riad<*20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:46
S60	37	(johnson.in. main.in.) AND (*713/186, 194*.cds. 726/2,16,21,26,27.cds.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:47
S61	5	biometric AND (johnson.in. main.in.) AND (*713/186,194*.cds. 726/2,16,21,26,27.cds.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:48
S62	4	tamper\$ AND biometric AND (johnson.in. main.in.) AND ("713/186,194".ccis. 726/2,16,21,26,27.ccis.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:52
S63	1	WC-0177788-\$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:04
S64	2	*5947747".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:10
S65	6	"6490680".pn. "5457747".pn. "6363485".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:11
S66	2	biometric.dm. AND tamper.dm. AND resistan\$2.dm. AND verif\$7.dm. AND (software.dm.) application.dm.) AND ("713/186,194".cds. 726/2,16,21,26,27.cds.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:48

967	4	biometric.dm. AND tamper.dm. AND resistan\$2.dm. AND (software.dm. application.dm.) AND ("713/186,194".cds. 726/2,16,21,26,27.cds.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:48
S68	10	biometric.dm. AND tamper.dm. AND resistan\$2.dm. AND (software.dm. application.dm.) AND ("713".das. "726".das.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:49
S69	10	biometric.dm. AND tamper.dm. AND resistan\$2.dm. AND (software.dm. application.cm.) AND ("713".das. "726".das. "380".das.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:49
S70	14	biometric.cdm. AND tamper.cdm. AND resistan\$2.cdm. AND (software.cdm. application.cdm.) AND ("713".cdas. "726".das. "780".cdas. "705".das.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:50

6/18/2008 9:16:15 AM Page 10